INDEX TO VOLUME 54

AUTHOR INDEX

ABUGATTAS, RICARDO. (See Alzamora-Castro, Battilana, and Abugattas), 254

AGRESS, CLARENCE M., AND BINDER, MAXWELL

J. Cardiogenic shock, 458
ALLENSTEIN, BERTRAM J. (See Kornbluth and

Allenstein), 396
Alzamora-Castro, V., Battilana, Guido, and Abugattas, Ricardo. The electrical manifestations observed in damaged or injured cardiac muscle. An experi-

mental study, 254
Angelino, Pier F., Levi, Valeria, and
Brusca, Antonio M. Pulmonic valvular insufficiency: a clinical and hemodynamic study, 182

Angle, William D. (See Hubbard, Angle, and Koszewski), 210 Aramendía, Pedro. (See Taquini, Roncoroni,

Aramendía, and Ros), 319

ARAVANIS, CHRIST, AND LUISADA, ALDO A. Obstructive and relative aortic stenosis. Differential diagnosis by phonocardiography, 32

ARBEIT, S. R., JOKL, E., KOSKELA, A., AND McCubbin, W. E. Ballistocardiographic changes during a 30 day physi-

cal training period, 556
ARONSON, STANLEY M. (See Losner, Volk, and Aronson), 225

ATTINGER, ERNST O. Some interrelations between ventilation and circulation, 837 Azan, Luis. (See Calviño, Azan, and Castellanos), 444

BACON, ROBERT H. (See Roe and Bacon), 580
BAGGER, MARIANNE, BIÖRCK, G., BJÖRK, V. O.,
BRODÉN, B., CARLGREN, L. E., CARLSTEN, A., EDLER, I., EJRUP, B.,
ELIASCH, H., GUSTAFSON, A., GYLLENSWÄRD, A., HANSON, H. E., HOLMGREN, A., IDBOHRN, H., JOHNSSON, S. R., JONSSON, B., JÖNSSON, G., KARNELL, I., KIELLBERG, S. R., KROOK S. R., Jonsson, B., Jönsson, G., Karnell, J., Kjellberg, S. R., Krook, H., Larsson, H., Lindén, L., Linder, E., Linderholm, H., Lodin, H., Malmström, G., Mannheimer, E., Möller, T., Philipsson, J., Radner, S., Rudhe, U., Ström, G., Söderholm, B., Ulfsparre, F., and Werkö, L. On methods and complications in catheterization of heart and large vessels, with and without contrast injection, 766 injection, 766

BARBATO, ENNIO. (See Sodi-Pallares, Brancato, Pileggi, Medrano, Bisteni, and Barbato), 498

BATTILANA, GUIDO. (See Alzamora-Castro, Battilana, and Abugattas), 254 BAUER, G. E. Wolff-Parkinson-White com-

plexes alternating with left bundle branch block, 452

BEKKERING, D. H., AND WEBER, J. Standardization of phonocardiography: efforts in the Netherlands, 316

BERRETA, JULIO A., PERIANES, ISIDRO, BUZZI, ALFREDO, AND MADRID, FÉLIX FERNÁNDEZ. Congenital aortic septal defect, 548

BINDER, MAXWELL J. (See Agress and Binder),

BIÖRCK, G. (See Bagger, Biörck, Björk, Brodén, Carlgren, Carlsten, Edler, Ejrup, Eliasch, Gustafson, Gyllenswärd, Hanson, Holmgren, Idbohrn, Johnsson, Jonsson, Jönsson, Karnell, Kjellberg, Krook, Larsson, Lindén, Linder, Linderholm, Lodin, Malmström, Mann-heimer, Möller, Philipsson, Radner, Rudhe, Ström, Söderholm, Ulfsparre,

and Werkö), 766
BISTENI, ABDO. (See Sodi-Pallares, Brancato, Pileggi, Medrano, Bisteni, and Bar-

Björk, V. O. (See Bagger, Biörck, Björk, Broden, Carlgren, Carlsten, Edler, Ejrup, Eliasch, Gustafson, Gyllenswärd, Hanson, Holmgren, Idbohrn, Johnsson, Jonsson, Jönsson, Karnell, Kjellberg, Krook, Larsson, Lindén, Linder, Linderholm, Lodin, Malmström, Mannheimer, Möller, Philipsson, Radner, Rudhe, Ström, Söderholm, Ulfsparre, and Works, 756

and Werkö), 766

BLATTEIS, C. (See Horvath, Farrand, Blatteis, and Everingham), 138

BLOOM, JOSEPH, AND GUBBAY, ERIC. Hiatus hernia and electrocardiographic changes, 915

BLOUNT, S. GILBERT, JR. (See Grover, Lanier, Lowry, and Blount), 794

BLUMENFELD, S. (See Scherf, Blumenfeld, Chamsai, Reid, and Gürbüzer), 561

—. (See Scherf, Blumenfeld, Chamsai, Reid, and Weirz) 264

and Weisz), 264
BRANCATO, RUSSELL W. (See Sodi-Pallares, Brancato, Pileggi, Medrano, Bisteni, and Barbato), 498
BRANCA K. (See Bosseley Branca and Stern)

Braun, K. (See Rosenberg, Braun, and Stern), 118

Braveman, Warren S., Dexter, Richard L., and Rubin, Albert L. Diamox (acetazoleamide) as an oral diuretic in ambulatory cardiac patients, 284

Bret, J., and Torner-Soler, M. Complete transposition of the aorta. Levoposition of the pulmonary artery with

pulmonary stenosis, 385 Brodén, B. (See Bagger, Biörck, Björk, Brodén, Carlgren, Carlsten, Edler, Ejrup, Eliasch, Gustafson, Gyllenswärd, Hanson, Holmgren, Idbohrn, Johnsson, Jonsson, Jönsson, Karnell, Kjellberg, Krook, Larsson, Lindén, Linder, Linder derholm, Lodin, Malmström, Mann-heimer, Möller, Philipsson, Radner, Rudhe, Ström, Söderholm, Ulfsparre, and Werkö), 766

(See Wiederhielm and BRUCE, ROBERT A. Bruce), 205

-, JOHN, GREGORY, G., AND LOGAN, GORDON A. Reduction of cardiac output by ligation of the inferior vena cava in patients with atrial septal defects complicated by pulmonary hypertension, 152

BRUSCA, ANTONIO M. (See Angelino, Levi, and

Brusca), 182 Bucht, Härje, Ek, Jan, Eliasch, Harold, THOMASSON, BENGT, AND WERKÖ, LARS. The effect of a single intravenous dose of Scellaren B on the pulmonary circulation and renal function in patients with rheumatic heart disease, 376

BÜHLMANN, ALBERT. (See Luchsinger, Moser,

Bühlmann, and Rossier), 106
BURACK, BERNARD, SCHWEDEL, JOHN B., AND
YOUNG, DENNISON. The role of digi-

talis in mitral valvuloplasty, 863

BURDETTE, WALTER J. Nucleotide levels in human cardiac muscle, 746

BURGESS, JACK. (See Moyer, Burgess, and Ford), 643

BURTON, ALAN C. The importance of the shape and size of the heart, 801 Buzzi, Alfredo. (See Berreta, Perianes, Buzzi,

and Madrid), 548 (See Cossio and Buzzi), 127

C

Call), 537 (See Richman, Wolff, and CALL, RICHARD.

CALVIÑO, JOSE M., AZAN, LUIS, AND CASTEL-LANOS, AGUSTIN, JR. Paroxysm tachycardia with 2:1 exit block, 444 Paroxysmal

CARLGREN, L. E. (See Bagger, Biörck, Björk, Brodén, Carlgren, Carlsten, Edler, Ejrup, Eliasch, Gustafson, Gyllenswärd, Hanson, Holmgren, Idbohrn, Johnsson, Jonsson, Jönsson, Karnell, Kjellberg, Krook, Larsson, Lindén, Linder, Linderholm, Lodin, Malmström, Mannheimer, Möller, Philips son, Radner, Rudhe, Ström, Söderholm, Ulfsparre, and Werkö), 766
CARLOTTI, J. (See Soulié, Joly, Carlotti, and

Servelle), 695

CARLSTEN, A. (See Bagger, Biörck, Björk, Brodén, Carlgren, Carlsten, Edler, Ejrup, Eliasch, Gustafson, Gyllens-wärd, Hanson, Holmgren, Idbohrn, Johnsson, Jonsson, Jönsson, Karnell, Kjellberg, Krook, Larsson, Lindén, Linder, Linderholm, Lodin, Malm-ström, Mannheimer, Möller, Philipsson, Radner, Rudhe, Ström, Söder-holm, Ulfsparre, and Werkö), 766 CASTELLANOS, AGUSTIN, JR. (See Calviño,

Azan, and Castellanos), 444 , D. G. (See Scherf, Blumenfeld, Chamsai, Reid, and Gürbüzer), 561 CHAMSAI, -. (See Scherf, Blumenfeld, Chamsai, Reid, and Weisz), 264

CHAPMAN, MYRON G., AND McEACHEN, JAMES A. Cardiac contusion caused by the

use of a jackhammer, 625
CLAYPOOL, J. GORDON, RUTH, WM., AND LIN,
T. K. Ventricular septal defect with aortic incompetence simulating patent ductus arteriosus, 788

CLELAND, W. P., GOODWIN, J. F., STEINER, R. E., AND ZOOB, M. Transposition of the aorta and pulmonary artery with pulmonary stenosis, 10

COHEN, A. M. Diuretic effect of chlorpromazine in patients with congestive heart failure, 907

CONRAD, MARCEL E., JR. (See Wood, Conrad, and Morrow), 422

CONTRO, STEPHEN. Ventricular gallop in mitral stenosis. Its mechanism and significance, 246

Cossio, Pedro, and Buzzi, Alfredo.

value of the venous pulse, 127 COURNAND, ANDRE F. Pulmonary circulation. Its control in man, with some remarks

on methodology, 172 RD, HARRY D. (See Wild, Crawford, Crawford, Harry D. and Reid), 903

Cullen, R. E. (See Wasserburger, Ward, Cullen, Rasmussen, and Juhl), 875

Czapski, Juljian. (See Lopes de Faria, Czapski, Ribeiro Leite, de Oliveira Penna, Fujioka, and de Ulhôa Cintra), 196

DALGAARD, JØRGEN B. Fatal myocarditis fol-

lowing smallpox vaccination, 158
JULIO C., KYLE, ROBERT H., AND
GLOVER, ROBERT P. Mitral regurgi-DAVILA, tation due to ruptured chordae ten-

dineae correction by "mitral purse-string," 940

De Witte, P. E., Van Der Hauwaert, L. G., and Joossens, J. V. Traumatic rupture of the interventricular septum,

DEXTER, RICHARD L. (See Braveman, Dexter, and Rubin), 284

DODD, KATHERINE. (See Doherty and Dodd), 782

DOHERTY, JAMES E., AND DODD, KATHERINE. Electrocardiographic changes resembling myocardial infarction in a young child, 782

Donoso, EPHRAIM. (See Master, Silverblatt,

Rosenfeld, and Donoso), 50
DORNEY, EDWARD R. Peripheral A-V fistula of fifty-seven years' duration with refractory heart failure, 778

Dow, JAMES W. (See Roy, Gadboys, and Dow), 753

DOWER, GORDON E. (See Osborne and Dower),

722 DRESSLER, W., YURKOFSKY, J., AND STARR, M. C. Hemorrhagic pericarditis, pleurisy, and pneumonia complicating recent myocardial infarction, 42

E

Echevarría, Max. (See Peñaloza and Echevarría), 811

EDLER, I. (See Bagger, Biörck, Björk, Brodén, Carlgren, Carlsten, Edler, Ejrup, Eliasch, Gustafson, Gyllenswärd, Hanson, Holmgren, Idbohrn, Johnsson, Jonsson, Jönsson, Karnell, Kjellberg, Krook, Larsson, Lindén, Linder, Linderholm, Lodin, Malmström, Mannheimer, Möller, Philipsson, Radner, Rudhe, Ström, Söderholm, Ulfsparre, and Werkö), 766

Edson, John N. (See Hakim, Tobin, Weiss, McGinn, Savino, and Edson), 894

EJRUP, B. (See Bagger, Biörck, Björk, Brodén, Carlgren, Carlsten, Edler, Ejrup, Eliasch, Gustafson, Gyllenswärd, Hanson, Holmgren, Idbohrn, Johnson, Jonsson, Jönsson, Karnell, Kjellberg, Krook, Larsson, Lindén, Linder, Linderholm, Lodin, Malmström, Mannheimer, Möller, Philipsson, Radner, Rudhe, Ström, Söderholm, Ulfsparre,

and Werkö), 766 Ek, Jan. (See Bucht, Ek, Eliasch, Thomasson,

and Werkö), 376

ELIASCH, H. (See Bagger, Biörck, Björk, Bro-dén, Carlgren, Carlsten, Edler, Ejrup, Eliasch, Gustafson, Gyllenswärd, Han-son, Holmgren, Idbohrn, Johnsson, Jonsson, Jönsson, Karnell, Kjellberg, Krook, Larsson, Lindén, Linder, Linderholm, Lodin, Malmström, Mann-heimer, Möller, Philipsson, Radner, Rudhe, Ström, Söderholm, Ulfsparre,

and Werkö), 766

ELIASCH, HAROLD. (See Bucht, Ek, Eliasch, Thomasson, and Werkö), 376

EVERINGHAM, A. (See Horvath, Farrand, Blatteis, and Everingham), 138

FARRAND, E. ALLBAUGH. (See Horvath, Farrand, Blatteis, and Everingham), 138 FERGUSSON, GUILLERMO. (See Reiff, Oppenheimer, and Fergusson), 437
FORD, RALPH V. (See Moyer, Burgess, and Ford), 643

, Spurr, Charles L., and Moyer, John H. The comparative potency of mercurial diuretics using human bio-assay techniques, 887

Franco, Alfredo. Electrocardiography in experimental atherosclerosis and hypertension, 69

FUJIOKA, T. (See Lopes de Faria, Czapski, Ribeiro Leite, de Oliveira Penna, Fujioka, and de Ulhôa Cintra), 196

GADBOYS, HOWARD L. (See Roy, Gadboys, and Dow), 753

GLOVER, ROBERT P. (See Davila, Kyle, and Glover), 940

GOLD, SOL M., AND SMITH, ROBERT M. Repeated cardiac arrhythmia during ether anesthesia, 448

GOLDMAN, MERVIN J. Combined quinidine and procaine amide treatment of chronic atrial fibrillation, 742

Goodwin, J. F. (See Cleland, Goodwin, Steiner, and Zoob), 10

GROOM, DALE, AND SIHVONEN, Y. T. With the technical assistance of Francis, W. W., and Sprouse, J. H., Jr. A high sensitivity pickup for cardiovascular sounds, 592

GROVER, ROBERT F., LANIER, RAYMOND R., LOWRY, JAMES K., AND BLOUNT, S. GILBERT, JR. Congenital absence of the hepatic portion of the inferior vena cava, 794

GRUBSCHMIDT, HARRY A., AND SOKOLOW, MAURICE. The reliability of high voltage of the QRS complex as a diag-nostic sign of left ventricular hypertrophy in adults, 689

GUBBAY, ERIC. (See Bloom and Gubbay), 915 GÜRBÜZER, B. (See Scherf, Blumenfeld, Chamsai, Reid, and Gürbüzer), 561

Gustafson, A. (See Bagger, Biörck, Björk, Brodén, Carlgren, Carlsten, Edler, Ejrup, Eliasch, Gustafson, Gyllens-wärd, Hanson, Holmgren, Idbohrn, Johnsson, Jonsson, Jönsson, Karnell, Kjellberg, Krook, Larsson, Lindén, Linder, Linderholm, Lodin, Malm-ström, Mannheimer, Möller, Philipsson, Radner, Rudhe, Ström, Söder-holm, Ulfsparre, and Werkö), 766

Gyllenswärd, A. (See Bagger, Biörck, Björk, Brodén, Carlgren, Carlsten, Edler, Ejrup, Eliasch, Gustafson, Gyllens-wärd, Hanson, Holmgren, Idbohrn, Ward, Hanson, Holligren, Hobbirn, Johnsson, Jonsson, Jönsson, Karnell, Kjellberg, Krook, Larsson, Lindén, Linder, Linderholm, Lodin, Malm-ström, Mannhelmer, Möller, Philips-son, Radner, Rudhe, Ström, Söder-holm, Ulfsparre, and Werkö), 766

Jamshid, Tobin, Michael, Weiss, Stanley S., McGinn, Joseph T., Savino, Dominick, and Edson, John N. The effect of sedation on abnormal HAKIM, ballistocardiogram of fatigue, 894

Hanson, H. E. (See Bagger, Biörck, Björk, Brodén, Carlgren, Carlsten, Edler, Ejrup, Eliasch, Gustafson, Gyllens-wärd, Hanson, Holmgren, Idbohrn, Johnsson, Jonsson, Jönsson, Karnell, Kjellberg, Krook, Larsson, Lindén, Linder, Linderholm, Lodin, Malm-ström, Mannheimer, Möller, Philipsson, Radner, Rudhe, Ström, Söder-holm, Ulfsparre, and Werkö), 766

Harvey, W. Proctor. Harvey), 352 (See Schilder and

HEJTMANCIK, MILTON R. (See Zao, Herrmann, and Hejtmancik), 83

, AND HERRMANN, GEORGE R. The electrocardiographic syndrome of short P-R interval and broad QRS complexes,

HELM, ROBERT A. A switching circuit for three-plane stereovectorcardiography,

The scalar presentation of orthogonal leads, 89

HENRY, EDWARD I., SCHACK, JEROME A., AND HOFFMAN, IRWIN. Significance of the relation of QRS and T waves in bundle branch block: a useful electrocardiographic sign, 407

HERRMANN, GEORGE R. (See Hejtmancik and Herrmann), 708

. (See Zao, Herrmann, and Hejtmancik), 83

HOFFMAN, IRWIN. (See Henry, Schack, and Hoffman), 407

Holmgren, A. (See Bagger, Biörck, Björk, Brodén, Carlgren, Carlsten, Edler, Ejrup, Eliasch, Gustafson, Gyllens-wärd, Hanson, Holmgren, Idbohrn, Johnsson, Jonsson, Jönsson, Karnell, Kjellberg, Krook, Larsson, Lindén, Linder, Linderholm, Lodin, Malm-ström, Mannheimer, Möller, Philips-

son, Radner, Rudhe, Ström, Söderholm, Ulfsparre, and Werkö), 766
HONIG, C. R., AND TENNEY, S. M. Influence of the limbs on the ballistocardiogram, 678

, AND -Quantitative ballistocardiog-

raphy in aortic insufficiency, 98
HORLICK, L., AND MERRIMAN, J. E. Congenital
valvular stenosis of pulmonary and aortic valves with atrial septal defect, 615

HORVATH, STEVEN M., FARRAND, E. ALLBAUGH, BLATTEIS, C., AND EVERINGHAM, A. Catheterization of the coronary arteries of intact dog, 138

HUBBARD, THEODORE F., ANGLE, WILLIAM D., AND KOSZEWSKI, B. J. Ventricular septal defect: a correlative clinical and physiologic study of fifty cases, 210

IDBOHRN, H. (See Bagger, Biörck, Björk, Bro-dén, Carlgren, Carlsten, Edler, Ejrup, Eliasch, Gustafson, Gyllenswärd, Hanson, Holmgren, Idbohrn, Johnsson, Jonsson, Jönsson, Karnell, Kjellberg, Krook, Larsson, Lindén, Linder, Linderholm, Lodin, Malmström, Mann-heimer, Möller, Philipsson, Radner, Rudhe, Ström, Söderholm, Ulfsparre, and Werkö), 766

Jervell, Anton, and Lange-Nielsen, Fred. Congenital deaf-mutism, functional heart disease with prolongation of the Q-T interval, and sudden death, 59

JERVEY, LOUIS P., JR. Prolonged myocardial disease due to beriberi, with necropsy

after 18 years, 621 JICK, SIDNEY. (See Shmagranoff and Jick), 417 JOHN, GREGORY G. (See Bruce, John, and

John, Gregory G. (See Bruce, John, and Logan), 152

Johnsson, S. R. (See Bagger, Biörck, Björk, Brodén, Carlgren, Carlsten, Edler, Ejrup, Eliasch, Gustafson, Gyllenswärd, Hanson, Holmgren, Idbohrn, Johnsson, Jonsson, Jönsson, Karnell, Kjellberg, Krook, Larsson, Lindén, Linder, Linderholm, Lodin, Malmström, Mannheimer, Möller, Philipsson, Radner, Rudhe, Ström, Söderson, Radner, Rudhe, Ström, Söder-holm, Ulfsparre, and Werkö), 766

JOKL, E. (See Arbeit, Jokl, Koskela, and Mc-Cubbin), 556

JOLY, F. (See Soulié, Joly, Carlotti, and Ser-

velle), 695 Jonsson, B. (See Bagger, Biörck, Björk, Brodén, Carlgren, Carlsten, Edler, Ejrup, Eliasch, Gustafson, Gyllenswärd, Hanson, Holmgren, Idbohrn, Johnsson, Jonsson, Jönsson, Karnell, Kjellberg, Krook, Larsson, Lindén, Linder, Linderholm, Lodin, Malmström, Mann-heimer, Möller, Philipsson, Radner, Rudhe, Ström, Söderholm, Ulfsparre, and Werkö), 766

Jönsson, G. (See Bagger, Biörck, Björk, Bro-dén, Carlgren, Carlsten, Edler, Ejrup, Eliasch, Gustafson, Gyllenswärd, Han-son, Holmgren, Idbohrn, Johnsson, Jonsson, Jönsson, Karnell, Kjellberg, Krook, Larsson, Lindén, Linder, Linderholm, Lodin, Malmström, Mann-heimer, Möller, Philipsson, Radner, Rudhe, Ström, Söderholm, Ulfsparre, and Werkö), 766

Joossens, J. V. (See De Witte, Van Der Hauwaert, and Joossens), 628 JUHL, J. H. (See Wasserburger, Ward, Cullen, Rasmussen, and Juhl), 875

JURISHICA, AUGUST J. Anomalous left coronary artery, 429

KARNELL, J. (See Bagger, Biörck, Björk, Bro-dén, Carlgren, Carlsten, Edler, Ejrup, Eliasch, Gustafson, Gyllenswärd, Hanson, Holmgren, Idbohrn, Johnsson, Jonsson, Jönsson, Karnell, Kjellberg, Krook, Larsson, Lindén, Linder, Linderholm, Lodin, Malmström, Mann-heimer, Möller, Philipsson, Radner,

Rudhe, Ström, Söderholm, Ulfsparre, and Werkö), 766 KARNI, H. The TsE loop in hypercholes-

terolemia, 269 KAY, EARLE B. (See Zimmerman, Kay, Mac-

Krell, and Sambhi), 727

Kelly, John J., Jr. (See Strober, Martirez, and Kelly), 684

Kelser, George A., Jr. (See Velasquez and Kelser), 440

Kerr, Andrew Jr. Cording dilectory

KERR, ANDREW, JR. Cardiac dilatation and

hypertrophy, 23

KJELLBERG, S. R. (See Bagger, Biörck, Björk,
Brodén, Carlgren, Carlsten, Edler,
Ejrup, Eliasch, Gustafson, Gyllenswärd, Hanson, Holmgren, Idbohrn, Johnsson, Jonsson, Jönsson, Karnell, Kjellberg, Krook, Larsson, Lindén, Linder, Linderholm, Lodin, Malm-ström, Mannheimer, Möller, Philipsson, Radner, Rudhe, Ström, Söder-

holm, Ulfsparre, and Werkö), 766 C. H. (See Schwartz, Kniep, and KNIEP,

Schamroth), 605 MILLIAM H., WALLACE, JOHN M., MAHALEY, M. S., JR., AND SATTER-WHITE, W. M., JR. Evidence, includ-ing in vivo observations, suggesting KNISELY, mechanical blockage rather than reflex vasospasm as the cause of death in pulmonary embolization, 483

KORNBLUTH, ALFRED W., AND ALLENSTEIN, BERTRAM J. The normal direct spatial vectorcardiogram, 396

Koskela, A. (See Arbeit, Jokl, Koskela, and McCubbin), 556
Koszewski, B. J. (See Hubbard, Angle, and Koszewski), 210

KREISLE, JAMES E., AND KREISLE, MATTHEW F., SR. Paroxysmal atrial tachycar-., SR. Paroxysmal atrial tachycardia with A-V block: report of a case with unusual orthostatic effects, 308

KREISLE, MATTHEW F., SR. (See Kreisle and

Kreisle), 308 Krook, H. (See Bagger, Biörck, Björk, Bro-dén, Carlgren, Carlsten, Edler, Ejrup, Eliasch, Gustafson, Gyllenswärd, Hanson, Holmgren, Idbohrn, Johnsson, Jonsson, Jönsson, Karnell, Kjellberg, Krook, Larsson, Lindén, Linder, Linderholm, Lodin, Malmström, Mannheimer, Möller, Philipsson, Radner, Rudhe, Ström, Söderholm, Ulfsparre, and Werkö), 766

Kyle, Robert H. Glover), 940 (See Davila, Kyle, and

LAMB, LAWRENCE E. The effects of respiration on the electrocardiogram in relation to differences in right and left ventricular stroke volume, 342

Lange-Nielsen, Fred. (See Jervell and Lange-Nielsen), 59

LANIER, RAYMOND R. (See Grover, Lanier,

Lowry, and Blount), 794

Larsson, H. (See Bagger, Biörck, Björk, Brodén, Carlgren, Carlsten, Edler, Ejrup,

Eliasch, Gustafson, Gyllenswärd, Hanson, Holmgren, Idbohrn, Johnsson, Jonsson, Jönsson, Karnell, Kjellberg, Krook, Larsson, Lindén, Linder, Linderholm, Lodin, Malmström, Mann-heimer, Möller, Philipsson, Radner, Rudhe, Ström, Söderholm, Ulfsparre,

and Werkö), 766 LEVI, VALERIA. (See Angelino, Levi, and Brusca), 182

LIKOFF, WILLIAM. (See Pappas and Likoff), 588

LIN, T. K. (See Claypool, Ruth, and Lin), 788 LINDÉN, L. (See Bagger, Biörck, Björk, Bro-dén, Carlgren, Carlsten, Edler, Ejrup, Eliasch, Gustafson, Gyllenswärd, Han-son, Holmgren, Idbohrn, Johnsson, Jonsson, Jönsson, Karnell, Kjellberg, Krook, Larsson, Lindén, Linder, Linderholm, Lodin, Malmström, Mannheimer, Möller, Philipsson, Radner, Rudhe, Ström, Söderholm, Ulfsparre, and Werkö), 766

LINDER, E. (See Bagger, Biörck, Björk, Broden, Carlgren, Carlsten, Edler, Ejrup, Eliasch, Gustafson, Gyllenswärd, Hanson, Holmgren, Idbohrn, Johnsson, Jonsson, Jönsson, Karnell, Kjellberg, Krook, Larsson, Lindén, Linder, Linderholm, Lodin, Malmström, Mannheimer, Möller, Philipsson, Radner, Rudhe, Ström, Söderholm, Ulfsparre,

and Werkö), 766

and Werkö), 766

LINDERHOLM, H. (See Bagger, Biörck, Björk, Brodén, Carlgren, Carlsten, Edler, Ejrup, Eliasch, Gustafson, Gyllenswärd, Hanson, Holmgren, Idbohrn, Johnsson, Jonsson, Jönsson, Karnell, Kjellberg, Krook, Larsson, Lindén, Linder, Linderholm, Lodin, Malmström, Mannheimer, Möller, Philipsson, Badner, Budhe Ström, Säderson, Radner, Rudhe, Ström, Söder-holm, Ulfsparre, and Werkö), 766

LIU, CHI KONG. (See Luisada and Liu), 531 LODIN, H. (See Bagger, Biörck, Björk, Bro-dén, Carlgren, Carlsten, Edler, Ejrup, Eliasch, Gustafson, Gyllenswärd, Han-son, Holmgren, Idbohrn, Johnsson, Jonsson, Jönsson, Karnell, Kjellberg, Krook, Larsson, Lindén, Linder, Linderholm, Lodin, Malmström, Mann-heimer, Möller, Philipsson, Radner, Rudhe, Ström, Söderholm, Ulfsparre, and Werkö), 766

(See Bruce, John, and LOGAN, GORDON A.

Logan), 152

Lopes de Faria, J., Czapski, Juljian, Ribeiro Leite, M. O., de Oliveira Penna, D., Fujioka, T., and de Ulhôa Cintra, A. R. Cyapseis in Masson's achiete

A. B. Cyanosis in Manson's schisto-somiasis, 196

LOSNER, SAMUEL, VOLK, BRUNO W., AND ARON-SON, STANLEY M. Diagnostic aids in acute myocardial infarction: clinical

and experimental, 225
LOVEJOY, FRANK W., JR. (See Yu, Nye, Love-joy, Macias, Schreiner, and Lux), 235
LOWRY, JAMES K. (See Grover, Lanier, Lowry, and Blount), 794

LUCHSINGER, PETER C., MOSER, KENNETH M., BÜHLMANN, ALBERT, AND ROSSIER, P. H. The interrelationship between cor pulmonale, capillary bed restriction and diffusion insufficiency for oxygen in the lung, 106

LUISADA, ALDO A. (See Aravanis and Luisada),

-, AND LIU, CHI KONG. Simple methods for recording intracardiac electrocardio-grams and phonocardiograms during left or right heart catheterization, 531

Lux, James J. (See Yu, Nye, Lovejoy, Macias, Schreiner, and Lux), 235

McCubbin, W. E. (See Arbeit, Jokl, Koskela, and McCubbin), 556

McEachen, James A. (See Chapman and McEachen), 625
McGinn, Joseph T. (See Hakim, Tobin, Weiss, McGinn, Savino, and Edson),

Macias, José de J. (See Yu, Nye, Lovejoy, Macias, Schreiner, and Lux), 235 MacKrell, John. (See Zimmerman, Kay, MacKrell, and Sambhi), 727

Madrid, Félix Fernández. (See Berreta, Perianes, Buzzi, and Madrid), 548

Mahaley, M. S., Jr. (See Knisely, Wallace, Mahaley, and Satterwhite), 483

Malmström, G. (See Bagger, Biörck, Björk, Brodén, Carlgren, Carlsten, Edler, Ejrup, Eliasch, Gustafson, Gyllens-wärd, Hanson, Holmgren, Idbohrn, Johnsson, Jonsson, Jönsson, Karnell, Kjellberg, Krook, Larsson, Lindén, Linder, Linderholm, Lodin, Malm-ström, Mannheimer, Möller, Philipsson, Radner, Rudhe, Ström, Söder-holm, Ulfsparre, and Werkö), 766

Mannheimer, E. (See Bagger, Biörck, Björk, Brodén, Carlgren, Carlsten, Edler, Ejrup, Eliasch, Gustafson, Gyllenswärd, Hanson, Holmgren, Idbohrn, Lohnson, Longen, Eggen, Karnell Johnsson, Jonsson, Jönsson, Karnell, Kjellberg, Krook, Larsson, Lindén, Linder, Linderholm, Lodin, Malm-ström, Mannheimer, Möller, Philipsson, Radner, Rudhe, Ström, Söder-holm, Ulfsparre, and Werkö), 766

Manning, G. W. The electrocardiogram of the 2-step exercise stress test, 823

MARTIREZ, FERNANDO. (See Strober, Martirez, and Kelly), 684

Massumi, Rashid A. (See Pipberger, Schwartz, Massumi, Weiner, and Prinzmetal),

MASTER, ARTHUR M., SILVERBLATT, MARVIN L., ROSENFELD, ISADORE, AND DONOSO, EPHRAIM. Electrocardiographic patterns simulating coronary occlusion in patients with chronic rheumatic cardiovalvular disease, 50

MAXWELL, GEORGE M. Chest deformity in children with congenital heart disease, 368

MEDRANO, GUSTAVO A. (See Sodi-Pallares, Brancato, Pileggi, Medrano, Bisteni, and Barbato), 498

MERRIMAN, J. E. (See Horlick and Merriman), 615

MÖLLER, T. (See Bagger, Biörck, Björk, Broden, Carlgren, Carlsten, Edler, Ejrup, Eliasch, Gustafson, Gyllenswärd, Hanson, Holmgren, Idbohrn, Johnsson, Jonsson, Jönsson, Karnell, Kjellberg, Krook, Larsson, Lindén, Linder, Linderholm, Lodin, Malmström, Mann-heimer, Möller, Philipsson, Radner, Rudhe, Ström, Söderholm, Ulfsparre,

and Werkö), 766 Morrow, Andrew G. (See Wood, Conrad, and Morrow), 422

Moscovitz, Howard L., and Wilder, Robert J. The pressure events of the cardiac cycle in the dog: aortic valve lesions, 572

MOYER,

R, JOHN H. (See Ford, Spurr, and Moyer), 887 BURGESS, JACK, AND FORD, RALPH V. With the technical assistance of Goffney, Jean, House, Carol, and Hall, Ann. Pyribenzamine (tripelennamine): effects on renal hemo-dynamics and the excretion of water and electrolytes, 643

Nye, Robert E., Jr. (See Yu, Nye, Lovejoy, Macias, Schreiner, and Lux), 235

OKADA, ROBERT H. An experimental study of multiple dipole potentials and the effects of inhomogeneities in volume

conductors, 567
DE OLIVEIRA PENNA, D. (See Lopes de Faria, Czapski, Ribeiro Leite, de Oliveira Penna, Fujioka, and de Ulhôa Cintra), 196

OPPENHEIMER, JOACHIM. (See Reiff, Oppen-

heimer, and Fergusson), 437
OSBORNE, JOHN A., AND DOWER, GORDON E.
False right ventricular hypertrophy
pattern due to Wilson's central terminal error, 722

PAPPAS, ELIAS G., AND LIKOFF, WILLIAM High output failure following arterialization of the coronary sinus, 588

PEÑALOZA, DANTE, AND ECHEVARRÍA, MAX. Electrocardiographic observations on ten subjects at sea level and during one year of residence at high alti-tudes, 811

PERIANES, ISIDRO. (See Berreta, Perianes, Buzzi, and Madrid), 548

Philipsson, J. (See Bagger, Biörck, Björk, Brodén, Carlgren, Carlsten, Edler, Ejrup, Eliasch, Gustafson, Gyllens-wärd, Hanson, Holmgren, Idbohrn, Johnsson, Jonsson, Jönsson, Karnell, Kjellberg, Krook, Larsson, Lindén,

Linder, Linderholm, Lodin, Malmström, Mannheimer, Möller, Philipsson, Radner, Rudhe, Ström, Söderholm, Ulfsparre, and Werkö), 766

PILEGGI, FULVIO. (See Sodi-Pallares, Brancato, Pileggi, Medrano, Bisteni, and Barbato), 498

PIPBERGER, HUBERT, SCHWARTZ, LOIS, MASSUMI, RASHID A., WEINER, STANLEY M., AND PRINZMETAL, MYRON. Studies on the mechanism of ventricular activity. XXI. The origin of the depolarization complex with clinical applications, 511

PRINZMETAL, MYRON. (See Pipberger, Schwartz, Massumi, Weiner, and Prinzmetal), 511

R

RADNER, S. (See Bagger, Biörck, Björk, Brodén, Carlgren, Carlsten, Edler, Ejrup, Eliasch, Gustafson, Gyllenswärd, Han-son, Holmgren, Idbohrn, Johnsson, Jonsson, Jönsson, Karnell, Kjellberg, Krook, Larsson, Lindén, Linder, Linderholm, Lodin, Malmström, Mann-heimer, Möller, Philipsson, Radner, Rudhe, Ström, Söderholm, Ulfsparre, and Werkö), 766

RASMUSSEN, H. K. (See Wasserburger, Ward,

Cullen, Rasmussen, and Juhl), 875
REID, E. C. (See Scherf, Blumenfeld, Chamsai, Reid, and Gürbüzer), 561 . (See Scherf, Blumenfeld, Chamsai, Reid,

and Weisz), 264
REID, JOHN M. (See Wild, Crawford, and Reid), 903

REIFF, THEODORE R., OPPENHEIMER, JOACHIM, AND FERGUSSON, GUILLERMO. Cardiac injury presumably due to use of the external electric cardiac pacemaker in Stokes-Adams disease, 437

RIBEIRO LEITE, M. O. (See Lopes de Faria, Czapski, Ribeiro Leite, de Oliveira Penna, Fujioka, and de Ulhôa Cintra),

196

RICHARDS, DICKINSON W. The contributions of right heart catheterization to physiology and medicine, with some observations on the physiopathology of pulmonary heart disease, 161

RICHMAN, JUSTIN L., WOLFF, LOUIS, AND CALL, RICHARD. The significance of QS deflections in the right-sided precordial leads: autopsy correlation, 537

ROE, BENSON B., AND BACON, ROBERT H. An experimental study of blood flow in neurogenic hypotension and hemor-rhagic shock, 580

RONCORONI, AQUILES J. (See Taquini, Ron-

coroni, Aramendía, and Ros), 319
Ros, Antonio M. (See Taquini, Roncoroni,

Aramendía, and Ros), 319
ROSENBERG, S. Z., BRAUN, K., AND STERN, S.
The effect of Priscoline (tolazoline hydrochloride) on the arterial pressure pulse contour in aortic stenosis, 118

ROSENFELD, ISADORE. (See Master, Silverblatt, Rosenfeld, and Donoso), 50

ROSSIER, P. H. (See Luchsinger, Moser, Bühlmann, and Rossier), 106

Roy, Sujoy B., Gadboys, Howard L., and Dow, James W. Base line for left heart catheterization, 753

RUBIN, ALBERT L. (See Braveman, Dexter, and Rubin), 284

Rudhe, U. (See Bagger, Biörck, Björk, Bro-dén, Carlgren, Carlsten, Edler, Ejrup, Eliasch, Gustafson, Gyllenswärd, Hanson, Holmgren, Idbohrn, Johnsson, Jonsson, Jönsson, Karnell, Kjellberg, Krook, Larsson, Lindén, Linder, Linder derholm, Lodin, Malmström, Mann-heimer, Möller, Philipsson, Radner, Rudhe, Ström, Söderholm, Ulfsparre, and Werkö), 766

RUDOLPH, LIONEL A. (See Schaefer and Rudolph), 610

RUTH, WM. (See Claypool, Ruth, and Lin), 788

Sambhi, M. P. (See Zimmerman, Kay, Mac-Krell, and Sambhi), 727

Satterwhite, W. M. (See Knisely, Wallace, Mahaley, and Satterwhite), 483 Savino, Dominick. (See Hakim, Tobin, Weiss,

McGinn, Savino, and Edson), 894
SCARBOROUGH, WM. R. Some circulatory effects of morphine-barbiturate anesthesia, artificial respiration, and abdominal compression based on ballistocardiographic observations on dogs, 651

Schack, Jerome A. (See Henry, Schack, and Hoffman), 407

SCHAEFER, J. ALBERT, AND RUDOLPH, LIONEL A. Corrected transposition of great vessels, 610

SCHAMROTH, L. (See Schwartz, Kniep, and

Schamroth), 605

SCHERF, D., BLUMENFELD, S., CHAMSAI, D. G., REID, E. C., AND GÜRBÜZER, B. Response of coupling of extrasystoles to warming and cooling the focus of origin, 561

Scherf, D., Blumenfeld, S., Chamsai, D. G., Reid, E. C., and Weisz, A. Atrial vagal escape after crushing parts of

the sinus node, 264

Schilder, Donald P., and Harvey, W. Proctor. Confusion of tricuspid incompetence with mitral insufficiency—a pitfall in the selection of patients for mitral surgery, 352 Schmitt, Otto H. (See Simonson and Schmitt),

919

Schreiner, Bernard F. (See Yu, Nye, Love-joy, Macias, Schreiner, and Lux), 235 Schwartz, Lois. (See Pipberger, Schwartz, Massumi, Weiner, and Prinzmetal), 511

SCHWARTZ, M. B., KNIEP, C. H., AND SCHAM-ROTH, L. Congenital atresia of the abdominal aorta, 605

SCHWEDEL, JOHN B. (See Burack, Schwedel,

and Young), 863
SERVELLE, M. (See Soulié, Joly, Carlotti, and Servelle), 695

SHMAGRANOFF, GEORGE L., AND JICK, SIDNEY. Simultaneous atrial and nodal tachycardia, 417

SIHVONEN, Y. T. (See Groom and Sihvonen), 592

SILVERBLATT, MARVIN L. (See Master, Silver-blatt, Rosenfeld, and Donoso), 50

Simonson, Ernst, and Schmitt, Otto H. Respiratory changes of the spatial vectorcardiogram recorded with different lead systems, 919

SMITH, A. B., AND STERN, THOMAS N. Atrial fibrillation in syphilitic aortic insuf-

ficiency, 280 SMITH, ROBERT M. (See Gold and Smith), 448

Söderholm, B. (See Bagger, Biörck, Björk, Brodén, Carlgren, Carlsten, Edler, Ejrup, Eliasch, Gustafson, Gyllens-wärd, Hanson, Holmgren, Idbohrn, Johnsson, Jonsson, Jönsson, Karnell, Kjellberg, Krook, Larsson, Lindén, Linder, Linderholm, Lodin, Malm-ström, Mannheimer, Möller, Philipsson, Radner, Rudhe, Ström, Söder-holm, Ulfsparre, and Werkö), 766

SODI-PALLARES, DEMETRIO, BRANCATO, RUSSEL W., PILEGGI, FULVIO, MEDRANO, GUS-TAVO A., BISTENI, ABDO, AND BAR-BATO, ENNIO. The ventricular activation and the vectorcardiographic curve, 498

Sokolow, Maurice. (See Grubschmidt and Sokolow), 689

SOLOFF, LOUIS A., AND ZATUCHNI, JACOB. Reversed reciprocal rhythm, 634

Soulie, P., Joly, F., Carlotti, J., and Servelle, M. Recurrence of tight mitral stenosis syndrome after commissurotomy, 695

Spurr, Charles L. (See Ford, Spurr, and Moyer), 887

STARR, M. C. (See Dressler, Yurkofsky, and Starr), 42

STEELE, K. C. (See Willis and Steele), 638

STEIN, ISIDORE, AND WEINSTEIN, JOSEPH. Pericarditis complicating myocardial infarction, 146

STEINER, R. E. (See Cleland, Goodwin, Steiner, and Zoob), 10

STERN, S. (See Rosenberg, Braun, and Stern), 118

STERN, THOMAS N. (See Smith and Stern), 280 STROBER, MURRAY, MARTIREZ, FERNANDO, AND KELLY, JOHN J., JR. Factors in-fluencing the time of onset of the first heart sound in normal subjects, 684

Ström, G. (See Bagger, Biörck, Björk, Bro-den, Carlgren, Carlsten, Edler, Ejrup, Eliasch, Gustafson, Gyllenswärd, Hanson, Holmgren, Idbohrn, Johnsson, Jonsson, Jönsson, Karnell, Kjellberg, Krook, Larsson, Lindén, Linder, Linderholm, Lodin, Malmström, Mannheimer, Möller, Philipsson, Radner, Rudhe, Ström, Söderholm, Ulfsparre, and Werkö), 766

Taquini, Alberto C., Roncoroni, Aquiles J., Aramendía, Pedro, and Ros, An-tonio M. Sensitivity of respiratory center to carbon dioxide in emphysema and cor pulmonale: effects of carbonic anhydrase inhibition, 319

TENNEY, S. M. (See Honig and Tenney), 98, 678

THOMASSON, BENGT. (See Bucht, Ek, Eliasch, Thomasson, and Werkö), 376
Tobin, Michael. (See Hakim, Tobin, Weiss, McGinn, Savino, and Edson), 894

TORNER-SOLER, M. Soler), 385 (See Bret and Torner-

ULFSPARRE, F. (See Bagger, Biörck, Björk, Brodén, Carlgren, Carlsten, Edler, Ejrup, Eliasch, Gustafson, Gyllens-wärd, Hanson, Holmgren, Idbohrn, Johnsson, Jonsson, Jönsson, Karnell, Kjellberg, Krook, Larsson, Lindén, Linder, Linderholm, Lodin, Malm-ström, Mannheimer, Möller, Philipsson, Radner, Rudhe, Ström, Söder-holm, Ulfsparre, and Werkö), 766

DE ULHÔA CINTRA, A. B. (See Lopes de Faria, Czapski, Ribeiro Leite, de Oliveira Penna, Fujioka, and de Ulhôa Cintra),

VAN DER HAUWAERT, L. G. (See De Witte, Van Der Hauwaert, and Joossens), 628

VELASQUEZ, JAIRO, AND KELSER, GEORGE A., Jr. Alternating bidirectional tachycardia, 440

VESELL, HARRY. Congenital heart disease and

acute myocardial infarction, 300 VINEBERG, ARTHUR, AND WALKER, JAMES. Six months' to six years' experience with coronary artery insufficiency treated by internal mammary artery implan-

VOLK, BRUNO W. (S Aronson), 225 (See Losner, Volk, and

WALKER, JAMES. (See Vineberg and Walker), 851

WALLACE, JOHN M. (See Knisely, Wallace, Mahaley, and Satterwhite), 483
WARD, V. G. (See Wasserburger, Ward, Cullen, Rasmussen, and Juhl), 875
WASSERBURGER, R. H., WARD, V. G., CULLEN, R. E., RASMUSSEN, H. K., AND JUHL, J. H. The T-a wave of the adult electrocardiogram: an expression of

pulmonary emphysema, 875 WEBER, J. (See Bekkering and Weber), 316 Weiner, Stanley M. (See Pipberger, Schwartz, Massumi, Weiner, and Prinzmetal), 511

WEINSTEIN, JOSEPH. (See Stein and Weinstein), 146

Weiss, Stanley S. (See Hakim, Tobin, Weiss, McGinn, Savino, and Edson), 894 (See Scherf, Blumenfeld, Chamsai,

Reid, and Weisz), 264
WERKÖ, L. (See Bagger, Biörck, Björk, Broden, Carlgren, Carlsten, Edler, Ejrup, Eliasch, Gustafson, Gyllenswärd, Hanson, Holmgren, Idbohrn, Johnsson, Jonsson, Jönsson, Karnell, Kjellberg, Krook, Larsson, Lindén, Linder, Linderholm, Lodin, Malmström, Mann-heimer, Möller, Philipsson, Radner, Rudhe, Ström, Söderholm, Ulfsparre,

and Werkö), 766

LARS. (See Bucht, Ek, Eliasch, Thomasson, and Werkö), 376 WERKÖ, LARS.

WIEDERHIELM, CURT A., AND BRUCE, ROBERT A. With the assistance of Hamilton, Charlotte, and Parker, Richard. Diagnosis of central shunts from abnormalities of peripheral dye dilution curves, 205

WILD, J. J., CRAWFORD, HARRY D., AND REID, JOHN M. Visualization of the excised human heart by means of reflected ultrasound or echography. Prelimi-

wilder), 572 (See Moscovitz and

WILLIS, W. H., AND STEELE, K. C. Atrial flutter with 1:1 A-V conduction corrected by mitral commissurotomy, 638

Louis. (See Richman, Wolff, and Call), 537 Wolff, Louis.

WOOD, JOHN C., CONRAD, MARCEL E., JR., AND Morrow, Andrew G. Partial anomalous venous connection, 422

WRÓBLEWSKI, FELIX. Clinical significance of serum enzyme alterations associated with myocardial infarction, 219

Young, Dennison. (See Burack, Schwedel, and Young), 863

Yu, Paul N., Nye, Robert E., Jr., Lovejoy, Frank W., Jr., Macias, José de J., Schreiner, Bernard F., and Lux, James J. With technical assistance of Knight, Ruth, and Podgers, Ann. Studies of pulmonary hypertension. VIII, 235

YURKOFSKY, J. (See Dressler, Yurkofsky, and Starr), 42

ZAKOPOULOS, KONSTANTINE S. Double atrial stimulation with reciprocal rhythm, 291

ZAO, ZANG Z., HERRMANN, GEORGE R., AND HEJTMANCIK, MILTON R. The Bur-ger triangle in curve form, 83

ZATUCHNI, JACOB. (See Soloff and Zatuchni), 634

ZIMMERMAN, HENRY A., KAY, EARLE B., MAC-KRELL, JOHN, AND SAMBHI, M. P. Indications and contraindications for

open cardiac surgery, 727 Zoob, M. (See Cleland, Goodwin, Steiner, and Zoob), 10

SUBJECT INDEX

Abdominal aorta, congenital atresia of (Schwartz et al.), 605

compression, some circulatory effects of morphine-barbiturate anesthesia, artificial respiration, and, based on ballistocardiographic observations on dogs

(Scarborough), 651 Acetyl strophanthidin, effects of, on pulmonary circulation in patients with cardiac failure and mitral stenosis (VIII); studies of pulmonary hypertension (Yu et al.), 235

Acidosis, respiratory, acute and chronic, treatment of (Taquini et al.), 339

on, ventricular, and vectorcardio-graphic curve (Sodi-Pallares et al.), 498 Activation.

Activity, ventricular, studies on mechanism of. XXI. Origin of depolarization complex with clinical applications (Pipberger et al.), 511

Adrenal function in infants and children, 159 (B. Rev.)

Anesthesia, ether, repeated cardiac arrhythmia during (Gold and Smith), 448

morphine-barbiturate, artificial respiration, and abdominal compression, some circulatory effects of, based on ballistocardiographic observations on dogs (Scarborough), 651

respiration, and abdominal compression experiments (Scarborough), 660

Announcements, 160, 318, 480, 640, 800, 946 Anomalous left coronary artery (Jurishica), 429 venous connection, partial (Wood et al.), 422

Aorta. abdominal, congenital atresia of Schwartz et al.), 605

and pulmonary artery, transposition of, with pulmonary stenosis (Cleland et al.), 10

complete transposition of. Levoposition of pulmonary artery with pulmonary stenosis (Bret and Torner-Soler), 385

Aortic incompetence, ventricular septal defect with, simulating patent ductus arteriosus (Claypool et al.), 788

insufficiency, quantitative ballistocardiog-raphy in (Honig and Tenney), 98

syphilitic, atrial fibrillation in (Smith and Stern), 280

pulmonary and, valves with atrial septal defect, congenital valvular stenosis of (Horlick and Merriman), 615

septal defect, congenital (Berreta et al.), 548 stenosis, effect of Priscoline (tolazoline hydrochloride) on arterial pressure pulse

contour in (Rosenberg et al.), 118 obstructive and relative. Differential diagnosis by phonocardiography, (Aravanis and Luisada), 32

valve lesions; pressure events of cardiac cycle in dog (Moscovitz and Wilder), 572

Arrhythmia, cardiac, repeated, during ether anesthesia (Gold and Smith), 448

Arterial pressure pulse contour, effect of Priscoline (tolazoline hydrochloride) on, in aortic stenosis (Rosenberg et al.), 118

Arterialization of coronary sinus, high output failure following (Pappas and Likoff), 588

Arteries, coronary, of intact dog, catheterization of (Horvath et al.), 138

Arteriovenous fistulas, schistosomatic, pulmo-nary, role of; cyanosis in Manson's schistosomiasis (Lopes de Faria et al.), 196

Artery, coronary, left, anomalous (Jurishica) 429

internal mammary, implantation, six months' to six years' experience with coronary artery insufficiency treated by (Vine-

berg and Walker), 851 pulmonary, levoposition of, with pulmonary stenosis; complete transposition of aorta (Bret and Torner-Soler), 385

transposition of aorta and, with pulmonary stenosis (Cleland et al.), 10

Artificial respiration, morphine - barbiturate anesthesia, and abdominal compression, some circulatory effects of, based on ballistocardiographic observations on dogs (Scarborough), 651

Atherosclerosis, experimental, and hypertension, electrocardiography in (Franco),

surgeon's view of (Creech), 641

Atresia, congenital, of abdominal aorta, (Schwartz et al.), 605

Atrial and nodal tachycardia, simultaneous (Shmagranoff and Jick), 417

fibrillation, chronic, combined quinidine and procaine amide treatment of (Goldman), 742

in syphilitic aortic insufficiency (Smith and Stern), 280

flutter with 1:1 A-V conduction corrected by mitral commissurotomy (Willis and Steele), 638

septal defect, congenital valvular stenosis of pulmonary and aortic valves (Horlick and Merriman), 615

defects complicated by pulmonary hyper-tension, reduction of cardiac output by ligation of inferior vena cava in patients with (Bruce et al.), 152

stimulation, double, with reciprocal rhythm (Zakopoulos), 291

tachycardia, paroxysmal, with A-V block: report of case with unusual orthostatic effects (Kreisle and Kreisle), 308

vagal escape after crushing parts of sinus node (Scherf et al.), 264

A-V block, paroxysmal atrial tachycardia with: report of case with unusual ortho-static effects (Kreisle and Kreisle), 308

conduction, 1:1, corrected by mitral commissurotomy, atrial flutter with (Willis and Steele), 638

fistula, peripheral, of fifty-seven years' duration with refractory heart failure (Dorney), 778

Ballistocardiogram, abnormal, of fatigue, effect of sedation of (Hakim et al.), 894 dog, normal, nature of (Scarborough), 653 influence of limbs on (Honig and Tenney),

678 Ballistocardiographic changes during 30 day

physical training period (Arbeit et al.), 556 observations on dogs, some circulatory effects of morphine-barbiturate anesthesia, artificial respiration, and abdominal compression based on (Scarborough), 651

Ballistocardiography, quantitative, in aortic insufficiency (Honig and Tenney), 98 Beriberi, prolonged myocardial disease due to,

with necropsy after 18 years (Jervey), 621

Bidirectional tachycardia, alternating (Velasquez and Kelser), 440

techniques, human, comparative potency of mercurial diuretics using (Ford et al.), 887

Block, A-V, paroxysmal atrial tachycardia with: report of case with unusual orthostatic effects (Kreisle and Kreisle),

bundle branch, left, Wolff-Parkinson-White complexes alternating with (Bauer),

> significance of relation of QRS and T waves in: useful electrocardiographic sign (Henry et al.), 407

2:1 exit, paroxysmal tachycardia with (Calviño et al.), 444

Blockage, mechanical, evidence, including in vivo, observations, suggesting, rather than reflex vasospasm as cause of

death in pulmonary (Knisely et al.), 483

Blood flow, experimental study of, in neurogenic hypotension and hemorrhagic shock (Roe and Bacon), 580

pressure, heart rate and level of (Burton), 809

Book reviews 159, 318, 478, 640, 799
Bundle branch block, left, Wolff-Parkinson-White complexes alternating with (Bauer), 452

significance of relation of QRS and T waves in: useful electrocardiographic sign (Henry et al.), 407

Burger triangle in curve form (Zao et al.), 83

Capillary bed restriction, cor pulmonale, and diffusion insufficiency for oxygen in lung, interrelationship between (Luchsinger et al.), 106

Carbon dioxide, sensitivity of respiratory center to, in emphysema and cor pulmonale: effects of carbonic anhydrase inhibition (Taquini et al.), 319

Carbonic anhydrase inhibition, effects of; sensitivity of respiratory center to carbon dioxide in emphysema and cor pulmonale (Taquini et al.), 319

Cardiac arrhythmia, repeated, during ether anesthesia (Gold and Smith), 448 contusion caused by use of jackhammer (Chapman and McEachen), 625

cycle, pressure events of, in dog: aortic valve lesions (Moscovitz and Wilder),

dilatation and hypertrophy (Kerr), 23

failure and mitral stenosis, effects of acetyl strophanthidin on pulmonary circulation in patients with (VIII); studies of pulmonary hypertension (Yu et al.), 235

injury presumably due to use of external electric cardiac pacemaker in Stokes-Adams disease (Reiff et al.), 437

muscle, damaged or injured, electrical manifestations observed in. Experimental study (Alzamora-Castro et al.), 254

human, nucleotide levels in (Burdette), 746 output, reduction of, by ligation of inferior vena cava in patients with atrial septal defects complicated by pulmonary hypertension (Bruce et al.), 152

pacemaker, electric, external, cardiac injury presumably due to use of, in Stokes-Adams disease (Reiff et al.), 437

patients, ambulatory, Diamox (acetazole-amide) as oral diuretic in (Braveman et al.), 284

surgery, open, indications and contraindications for (Zimmerman et al.), 727 Cardiogenic shock (Agress and Binder), 458

Cardiopathies congénitales, 640 (B. Rev.) Cardiovalvular disease, rheumatic, chronic, electrocardiographic patterns simulating coronary occlusion in patients with (Master et al.), 50

sounds, high sensitivity pickup for (Groom and Sihvonen), 592

Catheterization, clinical and, findings, sum-mary of, in 50 cases of ventricular septal defect (Table I) (Hubbard et al.), 212

heart, left, base line for (Roy et al.), 753 left or right heart, simple methods for recording intracardiac electrocardiograms and phonocardiograms during (Luisada and Liu), 531 of coronary arteries of intact dog (Horvath

et al.), 138

of heart and large vessels, on methods and complications in, with and without contrast injection (Bagger et al.), 766

right heart, contributions of, to physiology and medicine, with some observations on physiopathology of pulmonary heart disease (Richards), 161

Central shunts, diagnosis of, from abnormalities of peripheral dye dilution curves (Wiederhielm and Bruce), 205

Central shunts, diagnosis of-Cont'd

terminal error, Wilson's false right ventricular hypertrophy pattern due to (Os-borne and Dower), 722

Chest deformity in children with congenital heart disease (Maxwell), 368

Child, young, electrocardiographic changes resembling myocardial infarction in (Doherty and Dodd), 782
Children, adrenal function in infants and, 159

(B. Rev.

with congenital heart disease, chest deform-

ity in (Maxwell), 368 Chlorpromazine, diuretic effect of, in patients with congestive heart failure (Cohen),

Chordae tendineae, ruptured, correction by "mitral purse-string," mitral regurgi-tation due to (Davila et al.), 940

Circuit, switching, for three-plane stereovectorcardiography (Helm), 602

Circulation, interrelations between ventilation and (Attinger), 837

pulmonary, and renal function, effect of single intravenous dose of Scillaren B on, in patients with rheumatic heart disease (Bucht et al.), 376

effects of acetyl strophanthidin on, in patients with cardiac failure and mitral stenosis (VIII); studies of pulmonary hypertension (Yu et al.), 235

its control in man, with some remarks on methodology (Cournand), 172

Circulatory effects, some, of morphine-barbiturate anesthesia, artificial respiration, and abdominal compression based on ballistocardiographic observations on dogs (Scarborough), 651

Collagen diseases, 318 (B. Rev.)

Commissurotomy, mitral, atrial flutter with 1:1 A-V conduction corrected by 1:1 A-V conduction corrected by (Willis and Steele), 638

recurrence of tight mitral stenosis syndrome after (Soulié et al.), 695

Complex, depolarization, origin of, with clinical applications (XXI); studies on mechanism of ventricular activity (Pip-

berger et al.), 511 QRS, reliability of high voltage of, as diagnostic sign of left ventricular hyper-trophy in adults (Grubschmidt and Sokolow), 689

Complexes, QRS, broad, electrocardiographic syndrome of short P-R interval and (Hejtmancik and Herrmann), 708

Wolff-Parkinson-White, alternating with left bundle branch block (Bauer), 452

Compression, abdominal, some circulatory effects of morphine-barbiturate anesthesia, artificial respiration, and based on ballistocardiographic obserand. vations on dogs (Scarborough), 651

Conduction, A-V, 1:1, corrected by mitral commissurotomy, atrial flutter with (Willis and Steele), 638

defects, respiratory electrocardiographic changes in presence of (Lamb), 349

Conductors, volume, experimental study of multiple dipole potentials and effects of inhomogeneities in (Okada), 567

Congestive heart failure, diuretic effect of chlorpromazine in patients with (Cohen), 907

Contusion, cardiac, caused by use of jack-hammer (Chapman and McEachen),

Cooling, warming and, focus of origin, response of coupling of extrasystoles to (Scherf et al.), 561

Cor pulmonale, capillary bed restriction, and diffusion insufficiency for oxygen in lung, interrelationship between (Luchsinger et al.), 106

sensitivity of respiratory center to carbon dioxide in emphysema and: effects of carbonic anhydrase inhibition (Ta-

quini et al.), 319

Coronary arteries of intact dog, catheterization of (Horvath et al.), 138

artery insufficiency treated by internal mammary artery implantation, six months' to six years' experience with (Vineberg and Walker), 851

left, anomalous (Jurishica), 429 heart disease, 479 (B. Rev.)

occlusion, electrocardiographic patterns simulating, in patients with chronic rheumatic cardiovalvular disease (Master et al.), 50

shock, experimental (Agress and Binder), 463 sinus, high output failure following arterialization of (Pappas and Likoff), 588

Coupling of extrasystoles, response of, to warming and cooling focus of origin (Scherf et al.), 561

Curve form, Burger triangle in (Zao et al.), 83 vectorcardiographic, ventricular activation and (Sodi-Pallares et al.), 498

Curves, dilution, dye, peripheral, diagnosis of central shunts from abnormalities of (Wiederhielm and Bruce), 205

Cyanosis in Manson's schistosomiasis (Lopes de Faria et al.), 196

Cycle, cardiac, pressure events of, in dog: aortic valve lesions (Moscovitz and Wilder), 572

Deaf-mutism, congenital, functional heart disease with prolongation of Q-T interval, and sudden death (Jervell and Lange-Nielsen), 59

Death, sudden, congenital deaf-mutism, functional heart disease with prolongation of Q-T interval, and (Jervell and Lange-Nielsen), 59

Defect, septal, atrial, congenital valvular stenosis of pulmonary and aortic valves with (Horlick and Merriman), 615

Deflections, QS, significance of, in right-sided precordial leads: autopsy correlation (Richman et al.), 537

- Depolarization complex, origin of, with clinical application (XXI); studies on mechanism of ventricular activity (Pipberger et al.), 511
- Diamox (acetazoleamide) as oral diuretic in ambulatory cardiac patients (Brave-man et al.), 284
- Diffusion insufficiency for oxygen in lung, interrelationship between cor pulmonale capillary bed restriction and (Luchsinger et al.), 106
- role of, in mitral valvuloplasty (Burack et al.), 863
- Dilatation, cardiac, and hypertrophy (Kerr), 23 Dilution curves, dye, peripheral, diagnosis of central shunts from abnormalities of (Wiederhielm and Bruce), 205
- Dipole potentials, multiple, experimental study of, and effects of inhomogeneities in volume conductors (Okada), 567
- Diuretic effect of chlorpromazine in patients with congestive heart failure (Cohen),
 - oral, Diamox (acetazoleamide) as, in ambulatory cardiac patients (Braveman et al.), 284
- Diuretics, mercurial, comparative potency of, using human bio-assay techniques (Ford et al.), 887
- Dog, intact, catheterization of coronary arteries of (Horvath et al.), 138
- Dye dilution curves, peripheral, diagnosis of central shunts from abnormalities of (Wiederhielm and Bruce), 205

- Echography, visualization of excised human heart by means of reflected ultra-sound or (Wild et al.), 903
- Editorial, 1, 481, 641
- Electric cardiac pacemaker, external, cardiac injury presumably due to use of, in Stokes-Adams disease (Reiff et al.), 437
- Electrical manifestations observed in damaged or injured cardiac muscle. Experimental study (Alzamora-Castro et al.), 254
- Electrocardiogram, adult, T-a wave of: expression of pulmonary emphysema (Was-
- serburger et al.), 875 effects of respiration on, in relation to differences in right and left ventricular stroke volume (Lamb), 342
- of 2-step exercise stress test (Manning), 823
- Electrocardiograms and phonocardiograms, intracardiac, simple method for recording, during left or right heart catheterization (Luisada and Liu), 531
- Electrocardiographic changes, hiatus hernia
 - and (Bloom and Gubbay), 915 resembling myocardial infarction in young child (Doherty and Dodd), 782
 - respiratory, in presence of conduction de-fects (Lamb), 349

- Electrocardiographic changes—Cont'd
 - observations on ten subjects at sea level and during one year of residence at high altitudes (Peñaloza and Echevarría),
 - patterns simulating coronary occlusion in patients with chronic rheumatic car-
 - diovalvular disease (Master et al.), 50 sign, useful; significance of relation of QRS and T waves in bundle branch block
 - (Henry et al.), 407 syndrome of short P-R interval and broad QRS complexes (Hejtmancik and
- Herrmann), 708 Electrocardiography in experimental atherosclerosis and hypertension (Franco),
- Electrolytes, effects on renal hemodynamics and excretion of water and; Pyribenza-mine (tripelennamine) (Moyer et al.),
- Embolization, pulmonary, evidence, including in vivo observations, suggesting mechanical blockage rather than reflex vasospasm as cause of death in (Knisely et al.), 483
- Emphysema and cor pulmonale, sensitivity of respiratory center to carbon dioxide in: effects of carbonic anhydrase inhibition (Taquini et al.), 319
 - pulmonary, 478 (B. Rev.) expression of; T-a wave of adult electro-cardiogram (Wasserburger et al.), 875
- Endocrinology, clinical, atlas of, 479 (B. Rev.) Enzyme, serum, alterations associated with
- myocardial infarction, clinical signifi-cance of (Wróblewski), 219

 Excised human heart, visualization of, by means of reflected ultrasound or echography (Wild et al.), 903
- Excretion of water and electrolytes, effects on renal hemodynamics and; Pyribenzamine (tripelennamine) (Moyer et al.), 643
- Exercise stress test, 2-step, electrocardiogram of (Manning), 823
- Extrasystoles, response of coupling of, to warming and cooling focus of origin (Scherf et al.), 561
- Eyster's experiments; cardiac dilatation and hypertrophy (Kerr), 23

- Failure, cardiac, and mitral stenosis, effects of acetyl strophanthidin on pulmonary circulation in patients with (VIII); studies of pulmonary hypertension (Yu et al.), 235
 - heart, congestive, diuretic effect of chlor-promazine in patients with (Cohen), 907
 - refractory, peripheral A-V fistula of fiftyseven years' duration with (Dorney),
 - high output, following arterialization of coronary sinus (Pappas and Likoff), 588
- Fatigue, effect of sedation on abnormal ballistocardiogram of (Hakim et al.), 894

Fibrillation, atrial, chronic, combined quinidine and procaine amide treatment of (Goldman), 742

in syphilitic aortic insufficiency (Smith and Stern), 280

Fistula, A-V, peripheral, of fifty-seven years' duration with refractory heart failure (Dorney), 778

Fistulas, arteriovenous, schistosomatic, pulmonary, role of; cyanosis in Manson's schistosomiasis (Lopes de Faria et al.), 196

Fluoroscopy, clini (B. Rev.) clinical, fundamentals of, 799

Flutter, atrial, with 1:1 A-V conduction cor-rected by mitral commissurotomy (Willis and Steele), 638

Focus of origin, response of coupling of extrasystoles to warming and cooling (Scherf et al.), 561

Functional heart disease with prolongation of Q-T interval, congenital deaf-mutism, and sudden death (Jervell and Lange-Nielsen), 59

Gallop, ventricular, in mitral stenosis. mechanism and significance (Contro),

Glomerular ultrafiltration, protoplasmic basis of (Hall), 1

Great vessels, corrected transposition of (Schaefer and Rudolph), 610 radiology of heart and, 160 (B. Rev.)

Heart and great vessels, radiology of, 160 (B. Rev.)

and large vessels, on methods and complications in catheterization of, with and without contrast injection (Bagger et al.), 766

catheterization, right, contributions of, to physiology and medicine, with some observations on physiopathology of pulmonary heart disease (Richards), 161

disease, congenital, and acute myocardial infarction (Vesell), 300

chest deformity in children with (Maxwell), 368

coronary, 479 (B. Rev.) functional, with prolongation of Q-T interval, congenital deaf-mutism, and sudden death (Jervell and Lange-Nielsen), 59

pulmonary, contributions of right heart catheterization to physiology and medicine, with some observations on physiopathology of (Richards), 161

rheumatic, effect of single intravenous dose of Scillaren B on pulmonary circulation and renal function in patients with (Bucht et al.), 376

failure, congestive, diuretic effect of chlorpromazine in patients with (Cohen), 907

refractory, peripheral A-V fistula of fiftyseven years' duration with (Dorney), 778

Heart and great vessels-Cont'd

human, excised, visualization of, by means of reflected ultrasound or echography (Wild et al.), 903

importance of shape and size of (Burton), 801 left, catheterization, base line for (Roy et al.),

or right, catheterization, simple methods for recording intracardiac electrocardiograms and phonocardiograms during (Luisada and Liu), 531

load and efficiency of (Burton), 807 rate and level of blood pressure (Burton), 809 sound, first, factors influencing time of onset of, in normal subjects (Strober et al.),

Hemodynamic changes; clinical coronary shock (Agress and Binder), 468

effects of Hufnagel valve, with note on; quantitative ballistocardiography in aortic insufficiency (Honig and Tenney), 98 study, clinical and; pulmonic valvular insuf-

ficiency (Angelino et al.), 182 Hemodynamics, renal, and excretion of water and electrolytes, effects on; Pyribenzamine (tripelennamine) (Moyer et

al.), 643 Hemorrhagic pericarditis, pleurisy, and pneumonia complicating recent myocardial infarction (Dressler et al.), 42

shock, experimental study of blood flow in neurogenic hypotension and (Roe and Bacon), 580

Hepatic portion of inferior vena cava, congeni-tal absence of (Grover et al.), 794 Hernia, hiatus, and electrocardiographic changes (Bloom and Gubbay), 915

Hiatus hernia and electrocardiographic changes (Bloom and Gubbay), 915

High altitudes, electrocardiographic observations on ten subjects at sea level and during one year of residence at (Peñaloza and Echevarría), 811

voltage of QRS complex, reliability of, as diagnostic sign of left ventricular hypertrophy in adults (Grubschmidt

and Sokolow), 689 Hufnagel valve, with note on hemodynamic effects of; quantitative ballistocardiography in aortic insufficiency (Honig and Tenney), 98

Human bio-assay techniques, comparative potency of mercurial diuretics using (Ford et al.), 887

heart, excised, visualization of, by means of reflected ultrasound or echography

(Wild et al.), 903 Hypercholesterolemia, TsE loop in (Karni), 269 Hypertension, electrocardiography in experi-mental atherosclerosis and (Franco), 69

pulmonary, reduction of cardiac output by ligation of inferior vena cava in patients with atrial septal defects complicated by (Bruce et al.), 152 studies of. VIII (Yu et al.), 235

Hypertrophy, cardiac dilatation and (Kerr), right ventricular, false, pattern due to Wilson's central terminal error (Osborne and Dower), 722

Hypertrophy-Cont'd

ventricular, left, reliability of high voltage of QRS complex as diagnostic sign of, in adults (Grubschmidt and Sokolow), 689

Hypotension, neurogenic, and hemorrhagic shock, experimental study of blood flow in (Roe and Bacon), 580

Incompetence, aortic, ventricular septal defect with, simulating patent ductus arteriosus (Claypool et al.), 788

Infants and children, adrenal function in, 159 (B. Rev.)

Infarction, myocardial, acute, congenital heart disease and (Vesell), 300

diagnostic aids in: clinical and experi-mental (Losner et al.), 225

clinical significance of serum enzyme alterations associated with (Wróblewski),

electrocardiographic changes resembling, in young child (Doherty and Dodd),

pericarditis complicating (Stein and Weinstein), 146

recent, hemorrhagic pericarditis, pleurisy, and pneumonia complicating (Dressler et al.), 42

vena cava, congenital absence of hepatic portion of (Grover et al.), 794 Inferior reduction of cardiac output by ligation of, in patients with atrial septal defects complicated by pulmonary hypertension (Bruce et al.), 152

Inhibition, carbonic anhydrase, effects of; sensitivity of respiratory center to carbon dioxide in emphysema and cor pul-monale (Taquini et al.), 319

Inhomogeneities, experimental study of multiple dipole potentials and effects of, in volume conductors (Okada), 567

Injection, contrast, on methods and complications in catheterization of heart and large vessels, with and without (Bagger et al.), 766

Injury, cardiac, presumably due to use of external electric cardiac pacemaker in Stokes-Adams disease (Reiff et al.), 437

Insufficiency, aortic, quantitative ballistocardiography (Honig and Tenney), 98 syphilitic, atrial fibrillation in (Smith and Stern), 280

coronary artery, treated by internal mammary artery implantation, six months' to six years' experience with (Vine-

berg and Walker), 851 diffusion, for oxygen in lung, interrelationship between cor pulmonale, capillary bed restriction, and (Luchsinger et al.), 106

mitral, confusion of tricuspid incompetence with-pitfall in selection of patients for mitral surgery (Schilder and Harvey), 352

Insufficiency, aortic-Cont'd

valvular, pulmonic: clinical and hemodynamic study (Angelino et al.), 182

Interatrial septal defects; indications and contraindications for open cardiac sur-

gery (Zimmerman et al.), 737 Interval, P-R, short, and broad QRS complexes, electrocardiographic syndrome of (Hejtmancik and Herrmann), 708

Interventricular septum, traumatic rupture of (De Witte et al.), 628

Intracardiac electrocardiograms and phonocardiograms, simple method for recording, during left or right heart catheterization (Luisada and Liu), 531

Intravenous dose, single, of Scillaren B, effect of, on pulmonary circulation and renal function in patients with rheumatic heart disease (Bucht et al.), 376

Jackhammer, cardiac contusion caused by use of (Chapman and McEachen), 625

Laplace, law of (Burton), 802

Large vessels, on methods and complications in catheterization of heart and, with and without contrast injection (Bagger et al.), 766 Law of Laplace (Burton), 802

Lead systems, different, respiratory changes of spatial vectorcardiogram recorded with (Simonson et al.), 919

orthogonal, scalar presentation of Leads, (Helm), 89

precordial, right-sided, significance of QS deflections in: autopsy correlation deflections in: auto (Richman et al.), 537

Lesions, aortic valve; pressure events of cardiac cycle in dog (Moscovitz and Wilder), 572

Levoposition of pulmonary artery with pulmo-nary stenosis; complete transposition of aorta (Bret and Torner-Soler), 385

Ligation of inferior vena cava, reduction of cardiac output by, in patients with atrial septal defects complicated by pulmonary hypertension (Bruce et al.), 152

Limbs, influence of, on ballistocardiogram (Honig and Tenney), 678

Loop, TsE, in hypercholesterolemia (Karni),

Lung, diffusion insufficiency for oxygen in, interrelationship between cor pulmo-nale, capillary bed restriction, and (Luchsinger et al.), 106

Mammary artery, internal, implantation, six months' to six years' experience with coronary artery insufficiency treated by (Vineberg and Walker), 851

Manson's schistosomiasis, cyanosis in (Lopes de Faria et al.), 196

Manuscripts, selection of, for publication, 481

Mechanical blockage, evidence, including in vivo observations, suggesting, rather than reflex vasospasm as cause of death in pulmonary embolization (Knisely et al.), 483

Medicine, contributions of right heart catheterization to physiology and, with some observations on physiopathology of pulmonary heart disease (Richards),

Medizin, innere, gesamte, schriftenreihe der zeitschrift für die, 479 (B. Rev.)

Mercurial diuretics, comparative potency of, using human bio-assay techniques (Ford et al.), 887

Methodology, its control in man with some remarks on; pulmonary circulation (Cournand), 172

Mitral commissurotomy, atrial flutter with 1:1 A-V conduction corrected by (Willis and Steele), 638

insufficiency, confusion of tricuspid incompetence with-pitfall in selection of patients for mitral surgery (Schilder and Harvey), 352

"purse-string," mitral regurgitation due to ruptured chordae tendineae correc-tion by (Davila et al.), 940

regurgitation due to ruptured chordae tendi-neae correction by "mitral purse-string" (Davila et al.), 940

stenosis, effects of acetyl strophanthidin on pulmonary circulation in patients with cardiac failure and (VIII); studies of pulmonary hypertension (Yu et al.), 235

syndrome, tight, recurrence of, after com-missurotomy (Soulié et al.), 695

ventricular gallop in. Its mechanism and significance (Contro), 246

valvuloplasty, role of digitalis in (Burack et al.), 863

Morphine-barbiturate anesthesia, artificial respiration, and abdominal compression, some circulatory effects of, based on ballistocardiographic observations on dogs (Scarborough), 651

Muscle, cardiac, damaged or injured, electrical manifestations observed in. Experimental study (Alzamora-Castro et al.), 254

human, nucleotide levels in (Burdette), 746 Myocardial disease, prolonged, due to beriberi, with necropsy after 18 years (Jervey), 621

ion, acute, congenital heart disease and Vesell), 300 infarction,

diagnostic aids in: clinical and experi-mental (Losner et al.), 225

clinical significance of serum enzyme alterations associated with (Wróblewski),

electrocardiographic changes resembling, in young child (Doherty and Dodd), 782

pericarditis complicating (Stein and Weinstein), 146

Myocardial disease-Cont'd

recent, hemorrhagic pericarditis, pleurisy, and pneumonia complicating (Dres-

sler et al.), 42 Myocarditis, fatal, following smallpox vaccination (Dalgaard), 156

Netherlands, efforts in; standardization of phonocardiography (Bekkering and Weber), 310

Neurogenic hypotension and hemorrhagic shock, experimental study of blood flow in (Roe and Bacon), 580 Nobel Prize Lectures, 161, 172

Nodal, atrial and, tachycardia, simultaneous (Shmagranoff and Jick), 417

Node, sinus, atrial vagal escape after crushing parts of (Scherf et al.), 264

Nucleotide levels in human cardiac muscle (Burdette), 746

Occlusion, coronary, electrocardiographic pat-terns simulating, in patients with chronic rheumatic cardiovascular disease (Master et al.), 50

Orthogonal leads, scalar presentation of (Helm), 89

Orthostatic effects, unusual, report of case with; paroxysmal atrial tachycardia with A-V block (Kreisle and Kreisle), 308

Output, cardiac, reduction of, by ligation of inferior vena cava in patients with atrial septal defects complicated by pulmonary hypertension (Bruce et al.), 152

Oxygen, diffusion insufficiency for, in lung, interrelationship between cor pulmo-nale, capillary bed restriction and (Luchsinger et al.), 106

Pacemaker, cardiac, electric, external, cardiac injury presumably due to use of, in Stokes-Adams disease (Reiff et al.), 437

Paroxysmal atrial tachycardia with A-V block: report of case with unusual orthostatic effects (Kreisle and Kreisle), 308

tachycardia with 2:1 exit block (Calviño et al.), 444

Patent ductus arteriosus, ventricular septal de-fect with aortic incompetence simulating (Claypool et al.), 788

Pericarditis complicating myocardial infarction (Stein and Weinstein), 146

hemorrhagic, pleurisy, and pneumonia complicating recent myocardial infarction (Dressler et al.), 42

Peripheral A-V fistula of fifty-seven years' duration with refractory heart failure (Dorney), 778

dye dilution curves, diagnosis of central shunts from abnormalities of (Wiederhielm and Bruce), 205

vascular disorders, 159 (B. Rev.)

Phonocardiograms, electrocardiograms and, intracardiac, simple method for recording, during left or right heart catheterization (Luisada and Liu), 531

Phonocardiography, differential diagnosis by; obstructive and relative aortic stenosis (Aravanis and Luisada), 32

standardization of (Mannheimer), 314 efforts in Netherlands (Bekkering and

Weber), 316

Physiology and medicine, contributions of right heart catheterization to, with some observations on physiopathology of pulmonary heart disease (Richards), 161

Physiopathology of pulmonary heart disease, contributions of right heart catheterization to physiology and medicine, with some observations on (Richards), 161

Pickup, high sensitivity, for cardiovascular sounds (Groom and Sihvonen), 592

Pleurisy, hemorrhagic pericarditis, and pneumonia complicating recent myocardial infarction (Dressler et al.), 42

Pneumonia, hemorrhagic pericarditis, pleurisy and, complicating recent myocardial infarction (Dressler et al.), 42

Potentials, dipole, multiple, experimental study of, and effects of inhomogeneities in volume conductors (Okada), 567

P-R interval, short, and broad QRS complexes, electrocardiographic syndrome of (Hejtmancik and Herrmann), 708

Precordial leads, right-sided, significance of QS deflections in: autopsy correlation (Richman et al.), 537

Pressure, arterial, pulse contour, effect of Priscoline (tolazoline hydrochloride) on, in aortic stenosis (Rosenberg et al.), 118

events of cardiac cycle in dog: aortic valve lesions (Moscovitz and Wilder), 572

Priscoline (tolazoline hydrochloride), effect of, on arterial pressure pulse contour in aortic stenosis (Rosenberg et al.), 118

Procaine amide, quinidine and, combined treatment of chronic atrial fibrillation (Goldman), 742

Protoplasmic basis of glomerular ultrafiltration (Hall), 1

Publication, selection of manuscripts for, 481 Pulmonary and aortic valves with atrial septal defect, congenital valvular stenosis of (Horlick and Merriman), 615

artery, levoposition of, with pulmonary stenosis; complete transposition of aorta (Bret and Torner-Soler), 385

transposition of aorta and, with pulmo-nary stenosis (Cleland et al.), 10 circulation and renal function, effect of single intravenous dose of Scillaren B on,

in patients with rheumatic heart disease (Bucht et al.), 376

Its control in man, with some remarks on methodology (Cournand), 172

Pulmonary and aortic-Cont'd

embolization, evidence, including in vivo observations, suggesting mechanical blockage rather than reflex vasospasm as cause of death in (Knisely et al.), 483

emphysema, 478 (B. Rev.) expression of; T-a wave of adult electrocardiogram (Wasserburger et al.), 875 roentgen signs utilized in diagnosis of

Table II) (Wasserburger et al.), 876 heart disease, contributions of right heart catheterization of physiology and medicine, with some observations on physiopathology of (Richards), 161

hypertension, reduction of cardiac output by ligation of inferior vena cava in patients with atrial septal defects complicated by (Bruce et al.), 152 studies of. VIII (Yu et al.), 235

schistosomatic arteriovenous fistulas, role of: cyanosis in Manson's schistosomiasis (Lopes de Faria et al.), 196

Pulmonic stenosis; indications and contraindications for open cardiac surgery (Zimmerman et al.), 727

valvular insufficiency: clinical and hemo-dynamic study (Angelino et al.), 182

Pulse contour, arterial pressure, effect of Priscoline (tolazoline hydrochloride) on, in aortic stenosis (Rosenberg et al.), 118

venous, clinical value of (Cossio and Buzzi), 127

Pyribenzamine (tripelennamine): effects on renal hemodynamics and excretion of water and electrolytes (Moyer et al.), 643

QRS and T waves, significance of relation of, in bundle branch block: useful electro-

cardiographic sign (Henry et al.), 407 complex, reliability of high voltage of, as diagnostic sign of left ventricular hypertrophy in adults (Grubschmidt and Sokolow), 689

complexes, broad, electrocardiographic syn-drome of short P-R interval and (Hejtmancik and Herrmann), 708

QS deflections, significance of, in right-sided precordial leads: autopsy correlation (Richman et al.), 537

Q-T interval, functional heart disease with prolongation of, congenital deaf-mutism, and sudden death (Jervell and Lange-Nielsen), 59

Quantitative ballistocardiography in aortic in-sufficiency (Honig and Tenney), 98 Quinidine and procaine amide, combined treatment of chronic atrial fibrillation

(Goldman), 742

Radiology of heart and great vessels, 160 (B. Rev.)

Reciprocal rhythm, double atrial stimulation with (Zakopoulos), 291 reversed (Soloff and Zatuchni), 634

Reflected ultrasound or echography, visualization of excised human heart by means of (Wild et al.), 903

Reflex vasospasm, evidence, including in vivo observations, suggesting mechanical blockage rather than, as cause of death in pulmonary embolization

(Knisely et al.), 483
Refractory heart failure, peripheral A-V fistula of fifty-seven years' duration with

(Dorney), 778 Regurgitation, mitral, due to ruptured chordae tendineae correction by "mitral purse-string" (Davila et al.), 940 Rehabilitation literature 1950-1955, 159 (B.

Rev.)

Renal function, effect of single intravenous dose of Scillaren B on pulmonary circulation and, in patients with rheumatic heart disease (Bucht et al.), 376

hemodynamics and excretion of water and electrolytes, effects on; Pyribenzamine (tripelennamine) (Moyer et al.), 643

Reports, 314

Respiration, artificial, morphine-barbiturate anesthesia, and abdominal compres sion, some circulatory effects of, based on ballistocardiographic observations on dogs (Scarborough), 651

body position, and constraint experiments

(Scarborough), 656 effects of, on electrocardiogram in relation to differences in right and left ventricular stroke volume (Lamb), 342

Respiratory center, sensitivity of, to carbon dioxide in emphysema and cor pulmonale: effects of carbonic anhydrase inhibition (Taquini et al.), 319

changes of spatial vectorcardiogram re-corded with different lead systems (Simonson et al.), 919

Rheumatic cardiovascular disease, chronic, electrocardiographic patterns simulating coronary occlusion in patients

with (Master et al.), 50 heart disease, effect of single intravenous dose of Scillaren B on pulmonary circulation and renal function in patients with (Bucht et al.), 376

Rhythm, reciprocal, double atrial stimulation with (Zakopoulos), 291 reversed (Soloff and Zatuchni), 634

Rupture, traumatic, of interventricular septum (De Witte et al.), 628

Scalar presentation of orthogonal leads (Helm),

Schistosomiasis, Manson's, cyanosis in (Lopes de Faria et al.), 196

Schriftenreihe der zeitschrift für die gesamte innere medizin, 479 (B. Rev.)

Scillaren B, effect of single intravenous dose of, on pulmonary circulation and renal function in patients with rheumatic heart disease (Bucht et al.), 376

Sea level, electrocardiographic observations on ten subjects at, and during one year of residence at high altitudes (Peñaloza and Echevarría), 811

Sedation, effect of, on abnormal ballistocardiogram of fatigue (Hakim et al.), 894 Septal defect, aortic, congenital (Berreta et al.), 548

atrial, congenital valvular stenosis of pulmonary and aortic valves with (Horlick and Merriman), 615

ventricular: correlative clinical and physiologic study of fifty cases (Hubbard et al.), 210

with aortic incompetence simulating patent ductus arteriosus (Claypool et al.), 788

defects, atrial, complicated by pulmonary hypertension, reduction of cardiac output by ligation of inferior vena cava in patients with (Bruce et al.), 152

Septum, interventricular, traumatic rupture of (De Witte et al.), 628

Serum enzyme alterations associated with myocardial infarction, clinical signifi-cance of (Wróblewski), 219

enzymes, methods of measurement of (Wróblewski), 220

Shape and size of heart, importance of (Burton), 801

Shock, cardiogenic (Agress and Binder), 458 coronary, clinical: hemodynamic changes (Agress and Binder), 468

therapy of (Agress and Binder), 469 hemorrhagic, experimental study of blood flow in neurogenic hypotension and (Roe and Bacon), 580

Shunts, central, diagnosis of, from abnormalities of peripheral dye dilution curves (Wiederhielm and Bruce), 205

Sinus, coronary, high output failure following arterialization of (Pappas and Likoff), 588

node, atrial vagal escape after crushing parts of (Scherf et al.), 264

Size, shape and, of heart, importance of (Burton), 801

Smallpox vaccination, fatal myocarditis following (Dalgaard), 156

Sound, heart, first, factors influencing time of onset of, in normal subjects (Strober et al.), 684

Sounds, cardiovascular, high sensitivity pickup for (Groom and Sihvonen), 592

Spatial vectorcardiogram, direct, normal (Kornbluth and Allenstein), 396

respiratory changes of, recorded with different lead systems (Simonson et al.),

Stenosis, aortic, effect of Priscoline (tolazoline hydrochloride) on arterial pressure pulse contour in (Rosenberg et al.), 118

obstructive and relative. Differential diagnosis by phonocardiography (Aravanis and Luisada), 32

Stenosis, aortic-Cont'd

mitral, effects of acetyl strophanthidin on pulmonary circulation in patients with cardiac failure and (VIII); studies of pulmonary hypertension (Yu et al.), 235

syndrome, tight, recurrence of, after com-

missurotomy (Soulié et al.), 695 ventricular gallop in. Its mechanism and significance (Contro), 246

pulmonary, levoposition of pulmonary artery with; complete transposition of aorta (Bret and Torner-Soler), 385

transposition of aorta and pulmonary artery with (Cleland et al.), 10

recurring, discussion of basic factors in development of (Soulié et al.), 703

valvular, congenital, of pulmonary and aortic valves with atrial septal defect (Horlick and Merriman), 615

2-Step exercise stress test, electrocardiogram of (Manning), 823

Stereovectorcardiography, three-plane, switching circuit for (Helm), 602

Stimulation, atrial, double, with reciprocal rhythm (Zakopoulos), 291

Stokes-Adams disease, cardiac injury presumably due to use of external electric cardiac pacemaker in (Reiff et al.), 437

Stroke volume, ventricular, right and left, effects of respiration on electrocardiogram in relation to differences in (Lamb), 342

Surgery, cardiac, open, indications and contraindications for (Zimmerman et al.), 727

mitral, pitfall in selection of patients for; confusion of tricuspid incompetence with mitral insufficiency (Schilder and Harvey), 352

Switching circuit for three-plane stereovector cardiography (Helm), 602

Syndrome, electrocardiographic, of short P-R interval and broad QRS complexes (Hejtmancik and Herrmann), 708

tight mitral stenosis, recurrence of, after commissurotomy (Soulié et al.), 695 Syphilitic aortic insufficiency, atrial fibrillation in (Smith and Stern), 280

T waves, QRS and, significance of relation of, in bundle branch block: useful electrocardiographic sign (Henry et al.),

T-a wave of adult electrocardiogram: expression of pulmonary emphysema (Was-

serburger et al.), 875
Tachycardia, atrial and nodal, simultaneous

(Shmagranoff and Jick), 417
paroxysmal, with A-V block: report of
case with unusual orthostatic effects (Kreisle and Kreisle), 308

bidirectional, alternating (Velasquez and Kelser), 440 paroxysmal, with 2:1 exit block (Calviño

et al.), 444

Terminal error, central, Wilson's, false right ventricular hypertrophy pattern due to (Osborne and Dower), 722

Test, 2-step exercise stress, electrocardiogram of (Manning), 823

Triangle, Burger, in curve form (Zao et al.), 83 Tricuspid incompetence, confusion of, with mitral insufficiency—pitfall in selec-tion of patients for mitral surgery (Schilder and Harvey), 352

Transposition, complete, of aorta. Levoposition of pulmonary artery with pul-monary stenosis (Bret and Torner-Soler), 385

of great vessels, corrected (Schaefer and Rudolph), 610

TsĒ loop in hypercholesterolemia (Karni), 269

Ultrafiltration, glomerular, protoplasmic basis of (Hall), 1

Ultrasound, reflected, or echography, visualization of excised human heart by means of (Wild et al.), 903

Vaccination, smallpox, fatal myocarditis following (Dalgaard), 156 Vagal, atrial, escape after crushing parts of

sinus node (Scherf et al.), 264

Valve, aortic, lesions; pressure events of cardiac cycle in dog (Moscovitz and Wilder), 572

Hufnagel, with note on hemodynamic effects of; quantitative ballistocardiography in aortic insufficiency (Honig and Tenney), 98

Valves, pulmonary and aortic, with atrial sep-tal defect, congenital valvular stenosis of (Horlick and Merriman), 615

Valvular insufficiency, pulmonic: clinical and hemodynamic study (Angelino et al.), 182

stenosis, congenital, of pulmonary and aortic valves with atrial septal defect (Horlick and Merriman), 615

Valvuloplasty, mitral, role of digitalis in (Burack et al.), 863

Vascular disorders, peripheral, 159 (B. Rev.) Vasospasm, reflex, evidence, including in vivo observations, suggesting mechanical blockage rather than, as cause of death in pulmonary embolization (Knisely et al.), 483

rdiogram, spatial, direct, ne (Kornbluth and Allenstein), 396 Vectorcardiogram, normal respiratory changes of, recorded with different lead systems (Simonson et al.),

Vectorcardiographic curve, ventricular activa-tion and (Sodi-Pallares et al.), 498

Vena cava, inferior, congenital absence of hepatic portion of (Grover et al.), 794 reduction of cardiac output by ligation of, in patients with atrial septal defects complicated by pulmonary hypertension (Bruce et al.), 152

- Venous connection, anomalous, partial (Wood et al.), 422
 - pulse, clinical value of (Cossio and Buzzi),
- Ventilation and circulation, some interrelations between (Attinger), 837
- Ventricular activation and vectorcardiographic curve (Sodi-Pallares et al.), 498
 - activity, studies on mechanism of. XXI.
 Origin of depolarization complex with
 clinical applications (Pipberger et
 al.), 511
 - gallop in mitral stenosis. Its mechanism and significance (Contro), 246
- hypertrophy, left, reliability of high voltage of QRS complex as diagnostic sign of, in adults (Grubschmidt and Sokolow), 689
 - pattern, right, false, due to Wilson's central terminal error (Osborne and Dower), 722
- septal defect: correlative clinical and physiologic study of fifty cases (Hubbard et al.), 210
 - with aortic incompetence simulating patent ductus arteriosus (Claypool et al.), 788
 - defects, isolated; indications and contraindications for open cardiac surgery (Zimmerman et al.), 727
- stroke volume, right and left, effects of respiration on electrocardiogram in relation to differences in (Lamb), 342
- Vessels, great, corrected transposition of (Schaefer and Rudolph), 610

- Vessels-Cont'd
- large, on methods and complications in catheterization of heart and, with and without contrast injection (Bagger et al.), 766
- Voltage, high, of QRS complex, reliability of, as diagnostic sign of left ventricular hypertrophy in adults (Grubschmidt and Sokolow), 689
- Volume conductors, experimental study of multiple dipole potentials and effects of inhomogeneities in (Okada), 567
 - right and left ventricular stroke, effects of respiration on electrocardiogram in relation to differences in (Lamb), 342

W

- Warming and cooling focus of origin, response of coupling of extrasystoles to (Scherf et al.), 561
- Water and electrolytes, excretion of, effects on renal hemodynamics and; Pyribenzamine (tripelennamine) (Moyer et al.), 643
- Wave, T-a, of adult electrocardiogram: expression of pulmonary emphysema (Wasserburger et al.), 875
- Waves, QRS and T, significance of relation of, in bundle branch block: useful electrocardiographic sign (Henry et al.), 407
- Wilson's central terminal error, false right ventricular hypertrophy pattern due to (Osborne and Dower), 722
- Wolff-Parkinson-White complexes alternating with left bundle branch block (Bauer), 452

